EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

Revision date: 28/02/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name:	EuroVanillin Bakery, Dairy, Chocolate, Borrebon	
Group name:	EuroVanillin Expert	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Recommended uses:	Formulation of flavouring and fragrance compounds	
	See enclosed exposure scenarios for further information.	
Inadvisable uses:	None.	
1.3. Details of the supplier o	f the safety data sheet	
Supplier		
Company:	Borregaard AS	
Address:	P.O. Box 162	
City:	1701 Sarpsborg	
Country:	NORWAY	
E-mail:	sds@borregaard.com	
Phone:	+ 47 69 11 80 00	

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)). 112 (Emergency no) (24 h)

+ 47 69 11 87 70

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification:	Eye Irrit. 2;H319
Most serious harmful effects:	Causes serious eye irritation.
2.2. Label elements	

Pictograms

Fax:

Signal word:	Warning
Contains	
Substance:	Ethyl vanillin; Vanillin;
Hazard Statements	
H319	Causes serious eye irritation.
Precautionary statements	
P280	Wear protective gloves/protective clothing/eye protection/face protection.

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

P305+351+338

P337+313

Revision date: 28/02/2022
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 Wash hands thoroughly after handling.

2.3. Other hazards

None.

P264

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
	121-32-4 204-464-7 01-2119958961-24	25 - 50 %		Eye Irrit. 2;H319
Vanillin	121-33-5 204-465-2 01-2119516040-60	1 - 25 %		Eye Irrit. 2;H319

Please see section 16 for the full text of H- / EUH-phrases..

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Induce vomiting if victim is conscious. Seek medical advice in case of discomfort.
Skin contact:	Immediately remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Wash contaminated clothing before reuse.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Avoid formation of dust.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

Revision date: 28/02/2022

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Provide good ventilation. Wear safety goggles if there is a risk of dust contact with eyes.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water. Do not sweep - use vacuum cleaner to collect spillage.

6.4. Reference to other sections

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Do not expose to heat (e.g. sunlight). Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Comments
Ethyl vanillin	8h		5		org.støv	
Water	8h	0	10			

PNEC

Ethyl vanillin, cas-no 121-32-4				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	0.118 mg/l			
PNEC sediment (freshwater)	15 mg/kg			
waler)	1.5 mg/kg			
PNEC STP (wastewater- treatment facilities)	10 mg/l			
PNEC aqua (marine water)	0.0118 mg/l			
Vanillin, cas-no 121-33-5		•		
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC soil	19,56 mg/kg soil dw			
PNEC aqua (freshwater)	0,118 mg/l			

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

 Replaces date: 01/10/2019
 Revision date: 28/02/2022

 PNEC aqua (marine water)
 0,0118 mg/l
 Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan=

DNEL - workers

Ethyl vanillin, cas-no 121-32-4					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	49 mg/m³				
Inhalation DNEL (acute/short-term exposure - systemic effects)	98 mg/m³				
Dermal DNEL (long- term exposure - systemic effects)	7 mg/kg bw/day				

DNEL - general population

Ethyl vanillin, cas-no 121-32-4

Ethyl vanillin, cas-no	Ethyl vanillin, cas-no 121-32-4				
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	8.75 mg/m³				
Inhalation DNEL (acute/short-term exposure - systemic effects)	17.5 mg/m³				
Dermal DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day				
Oral DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day				
Vanillin, cas-no 121-33-5					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Oral DNEL (acute/short-term exposure - systemic effects)	10 mg/kg/day				

Other Information:

Avoid formation of dust.

8.2. Exposure controls

Exposure controls:	All work must be carried out under well-ventilated conditions. Wash hands before breaks, before using restroom facilities, and at the end of work. Do not eat, drink or smoke during work. Remove contaminated clothing. Carefully remove as much of the product from the skin as possible, using a cloth. Wash skin thoroughly with soap and lukewarm water and apply skin cream. Seek medical advice in case of eczema.
Appropriate engineering controls:	Provide good ventilation. Running water and eye wash equipment must be available.

Personal protective equipment, Wear safety goggles if there is a risk of dust contact with eyes. **eye/face protection:**

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

Revision date: 28/02/2022

Personal protective equipment, Wear suitable protective clothing. **skin protection:**

Personal protective equipment, Wear gloves. hand protection:

Personal protective equipment, Wear respiratory protective equipment with P2 filter when performing dusty work. **respiratory protection:**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter		Value/unit		
State	Powder Crystals	Powder Crystals		
Colour	White Yellowish	White Yellowish		
Odour	Characteristic			
Solubility	Soluble in the following: Organic	c solvents.		
Parameter	Value/unit	Remarks		
Odour threshold	No data			
Melting point	76 - 78 °C			
Freezing point	No data			
Initial boiling point and boiling range	285 °C			
Flammability (solid, gas)	No data			
Flammability limits	No data			
Explosion limits	No data			
Flash Point	No data			
Auto-ignition temperature	No data			
Decomposition temperature	No data			
pH (solution for use)	No data			
pH (concentrate)	No data			
Kinematic viscosity	No data			
Viscosity	No data			
Partition coefficient n-octonol/water	No data			
Vapour pressure	0.0029 hPa			
Density	1.05 g/cm ³			
Relative density	No data			
Vapour density	No data			
Relative density (sat. air)	No data			
Particle characteristics	No data			

9.2. Other information

Parameter	Value/unit	Remarks
Molecular weight	166,19	

Other Information:

Ref. : Hawley's Condensed Chemical Dictionary, 12th Edition; BIBRA Toxicity Profile, 1988; personal analysis / experience

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

Avoid direct sunlight. The substance is stable when used in accordance with the supplier's directions.

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

Revision date: 28/02/2022

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid formation of dust.

10.5. Incompatible materials

Strong alkalis/ Strong oxidisers/ Strong acids/ Metals/

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Ethyl vanillin, cas-no 121-32-4

Organism Test Type		Exposure time	Value	Conclusion	Test method	Source			
Rat LD50			> 3160 mg/kg		OECD 401	REACH dossier			
Vanillin, cas-no 121-33-5									
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rat	LD50		> 3925 mg/kg		OECD 423	REACH dossier			

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Ethyl vanillin, cas-no 121-32-4

Organism	Organism Test Type		Value	Conclusion	Test method	Source			
Rat	LD50		> 2000 mg/kg		OECD 402	REACH dossier			
Vanillin, cas-no 121-33-5									
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rat	LD50		> 2000 mg/kg		OECD 402	REACH dossier			

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Ethyl vanillin, cas-no 121-32-4

Organism Test Type		Exposure time Value Co		Conclusion	Test method	Source				
Rabbit				Non-irritating	OECD 404	REACH dossier				
Vanillin, cas-no 121-33-5										
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source				
Rat				Non-irritating	EU Method B.3	REACH dossier				

May irritate the skin - may cause reddening.

Serious eye damage/eye irritation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit				Slightly irrittating.	OECD 405	REACH dossier			
Vanillin, cas-no 121-33-5									
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source			
Rabbit				Irritating	OECD 405	REACH dossier			

Copyright © 1995 - 2022 DGOffice B.V., www.DGOffice.net

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

Revision date: 28/02/2022

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or skin sensitisation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Non-sensitising	OECD 429	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Non-sensitising	EU Method B.6 (Skin Sensitisation)	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

11.2. Information on other hazards

Endocrine disrupting N properties:

None known.

 Other toxicological effects:
 Ref.: BIBRA Toxicity Profile, 1988. Acceptable daily intake (ADI) for human is intended for 0-10 mg/kg/day (The Joint FAO/WHO Expert Committee on Food Additives.)

SECTION 12: Ecological information

12.1. Toxicity

Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hEC50	~ 87.6 mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna	48 h	48hEC50	26.2 mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hEC50	> 100 mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hNOEC	21.2 mg/l			
Bacteria	Tetrahymena pyriformis	40 h		158.7 mg/l			REACH dossier

Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hLC50	~ 83.7 mg/l		IOECD 203	REACH dossier
Crustacea	Daphnia magna		48hEC50	~ 36.79 mg/l		IOECD 202	REACH dossier

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019					Revisio	n date: 28/02/2022	2
Algae	Pseudokirchne riella subcapitata		72hEC50	~ 120 mg/l	IOECD 201	REACH dossier	

No effect on the environment.

12.2. Persistence and degradability

Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily	OECD 301 C	REACH
					biodegradable.		dossier

Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily biodegradable.	ISO 5815 (Water quality - Determination of BOD5)	

Test data are not available.

12.3. Bioaccumulative potential

No bioaccumulation expected.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not discharge large quantities of concentrated spills and residue into drains. Collect concentrated spills and major waste in closed, leak-proof containers for disposal at the applicable hazardous waste site with the below specifications.

SECTION 14: Transport information

14.1. UN number or ID number:Not applicable.14.2. UN proper shipping
name:Not applicable.14.3. Transport hazard
class(es):Not applicable.

14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

EuroVanillin Bakery, Dairy, Chocolate, Borrebon

Replaces date: 01/10/2019

Revision date: 28/02/2022

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions:

ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name		
01-2119516040-60	Vanillin		
01-2119958961-24	Ethyl vanillin		
Other Information:	Chemical safety assessments have been performed for the following substances: Ethylvanillin. Vanillin.		

SECTION 16: Other information

Vendor notes:

Information given in this safety data sheet is in accordance with our information, and to the best of our knowledge, was correct on the last revision date. Information given is intended to present guidelines for safe handling, use, processing, storage, transport, disposal and discharge; it is not intended to be a guarantee or quality specification. It is the responsibility of the recipient of this safety data sheet to ensure that information given here is read and understood by all who use, handle, dispose of or in any way come in contact with the product.

List of relevant H-statements

H319

Causes serious eye irritation.

GB

Country: