

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: EuroVanillin Plus SB 18

Unique Formula Identifier (UFI): R9YM-3M30-G00M-HUSE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Inadvisable uses: None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Borregaard AS
Address: P.O. Box 162
City: 1701 Sarpsborg
Country: NORWAY
E-mail: sds@borregaard.com
Phone: + 47 69 11 80 00
Fax: + 47 69 11 87 70

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation.

2.2. Label elements

Pictograms



Signal word: Warning

Contains

Substance: Ethyl vanillin; Vanillin;

Hazard Statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 If eye irritation persists: Get medical advice/attention.
P264 Wash hands thoroughly after handling.

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

2.3. Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No. / EC No. / REACH Reg. No.	Concentration	Notes	CLP-classification
Vanillin	121-33-5 204-465-2 01-2119516040-60	0 - 10 %		Eye Irrit. 2;H319
Ethyl vanillin	121-32-4 204-464-7 01-2119958961-24	20 - 40 %		Eye Irrit. 2;H319

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air, wash out mouth with water and blow nose thoroughly.
Ingestion:	Seek medical advice in case of persistent discomfort.
Skin contact:	Remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Wash contaminated clothing before reuse.
Eye contact:	Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the surrounding fire.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Provide good ventilation. Wear safety goggles if there is a risk of dust contact with eyes. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

6.2. Environmental precautions

Avoid unnecessary release to the environment. Do not discharge large quantities of concentrated spills and residue into drains.

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water. Do not sweep - use vacuum cleaner to collect spillage.

6.4. Reference to other sections

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. Avoid formation of dust. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Do not expose to heat (e.g. sunlight).

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m ³	fiber/cm ³	Remarks	Comments
Ethyl vanillin	8h		5		org.støv	

PNEC

Ethyl vanillin, cas-no 121-32-4				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	0.118 mg/l			
PNEC sediment (freshwater)	15 mg/kg			
PNEC sediment (marine water)	1.5 mg/kg			
PNEC STP (wastewater-treatment facilities)	10 mg/l			
PNEC aqua (marine water)	0.0118 mg/l			
Vanillin, cas-no 121-33-5				
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC soil	19,56 mg/kg soil dw			
PNEC aqua (freshwater)	0,118 mg/l			
PNEC aqua (marine water)	0,0118 mg/l			
PNEC STP (wastewater-treatment facilities)	10,0 mg/l			
PNEC sediment (marine water)	5,822 mg/l			

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

DNEL - workers

Ethyl vanillin, cas-no 121-32-4					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	49 mg/m ³				
Inhalation DNEL (acute/short-term exposure - systemic effects)	98 mg/m ³				
Dermal DNEL (long-term exposure - systemic effects)	7 mg/kg bw/day				

DNEL - general population

Ethyl vanillin, cas-no 121-32-4					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	8.75 mg/m ³				
Inhalation DNEL (acute/short-term exposure - systemic effects)	17.5 mg/m ³				
Dermal DNEL (long-term exposure - systemic effects)	2.5 mg/kg bw/day				
Oral DNEL (long-term exposure - systemic effects)	2.5 mg/kg bw/day				

Vanillin, cas-no 121-33-5					
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Oral DNEL (acute/short-term exposure - systemic effects)	10 mg/kg/day				

8.2. Exposure controls

Exposure controls: All work must be carried out under well-ventilated conditions. Wash hands before breaks, before using restroom facilities, and at the end of work. Do not eat, drink or smoke during work.

Appropriate engineering controls: Provide good ventilation. Running water and eye wash equipment must be available.

Personal protective equipment, eye/face protection: Wear safety goggles.

Personal protective equipment, skin protection: Wear suitable protective clothing.

Personal protective equipment, hand protection: Not required.

Personal protective equipment, respiratory protection: Wear respiratory protective equipment with P2 filter when performing dusty work.

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Crystals or powder.
Colour	White. Light yellow.
Odour	Characteristic odour.
Solubility	No data

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	65 °C	Ethyl vanillin
Freezing point	65 °C	Ethyl vanillin
Initial boiling point and boiling range	285 °C	Ethyl vanillin
Flammability (solid, gas)		Not flammable.
Flammability limits		Not flammable.
Explosion limits	No data	
Flash Point	93 - 100 °C	Ethyl vanillin
Auto-ignition temperature	> 400 °C	
Decomposition temperature	No data	
pH (solution for use)	~ 4.50	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water	1.58	Ethyl vanillin
Vapour pressure	0.0003 kPa	Ethyl vanillin
Density	No data	
Relative density	1.307	Ethyl vanillin
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Parameter	Value/unit	Remarks
Minimum Ex.concentration	0,01 g/m3	

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

10.5. Incompatible materials

Strong acids/ Strong alkalis/ Oxidisers.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide/

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3160 mg/kg		OECD 401	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3925 mg/kg		OECD 423	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD 402	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg		OECD 402	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating	OECD 404	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat				Non-irritating	EU Method B.3	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Slightly irritating.	OECD 405	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating	OECD 405	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Respiratory sensitisation or skin sensitisation

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Non-sensitising	OECD 429	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Non-sensitising	EU Method B.6 (Skin Sensitisation)	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: Based on existing data, the classification criteria are deemed not to have been met.

Reproductive toxicity: Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Repeated STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Aspiration hazard: Based on existing data, the classification criteria are deemed not to have been met.

11.2. Information on other hazards

Endocrine disrupting properties: None known.

Other toxicological effects: Acceptable daily intake (ADI) for human is intended for 0-10 mg/kg/day (The Joint FAO/WHO Expert Committee on Food Additives.)

SECTION 12: Ecological information

12.1. Toxicity

Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hEC50	~ 87.6 mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna	48 h	48hEC50	26.2 mg/l			REACH dossier
Algae	Pseudokirchneriella subcapitata	72 h	72hEC50	> 100 mg/l			REACH dossier
Algae	Pseudokirchneriella subcapitata	72 h	72hNOEC	21.2 mg/l			
Bacteria	Tetrahymena pyriformis	40 h		158.7 mg/l			REACH dossier

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hLC50	~ 83.7 mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna		48hEC50	~ 36.79 mg/l		OECD 202	REACH dossier
Algae	Pseudokirchneriella subcapitata		72hEC50	~ 120 mg/l		OECD 201	REACH dossier

No effect on the environment.

12.2. Persistence and degradability

Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily biodegradable.	OECD 301 C	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily biodegradable.	ISO 5815 (Water quality - Determination of BOD5)	

Readily biodegradable.

12.3. Bioaccumulative potential

No bioaccumulation expected.

12.4. Mobility in soil

Poorly soluble in the following: Water.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment. Do not discharge large quantities of concentrated spills and residue into drains. Contact the local authorities.

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable.

14.2. UN proper shipping name: Not applicable.

14.3. Transport hazard class(es): Not applicable.

14.4. Packing group: Not applicable.

14.5. Environmental hazards: Not applicable.

Safety Data Sheet

EuroVanillin Plus SB 18

Replaces date: 12/07/2018

Revision date: 29/12/2022

Version: 1.2.0

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name
01-2119516040-60	Vanillin

Other Information: Components are listed in EINECS (Europe), TSCA (USA), DSL (Canada), AICS (Australia), MITI (Japan) og KECL (South Korea) European Council: List 1, Nr. 107 .France: permission to be used in food where artificial aromas can be used..FDA: GRAS Status: CFR 21 - Part. 182.60 page 413 (1995).FEMA: GRAS Status: Nr. FEMA 3107.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.2.0	29/12/2022	Borregaard AS	Section 1, 9, 11, 12

Vendor notes: Information given in this safety data sheet is in accordance with our information, and to the best of our knowledge, was correct on the last revision date. Information given is intended to present guidelines for safe handling, use, processing, storage, transport, disposal and discharge; it is not intended to be a guarantee or quality specification. It is the responsibility of the recipient of this safety data sheet to ensure that information given here is read and understood by all who use, handle, dispose of or in any way come in contact with the product.

Classification method: ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

List of relevant H-statements

H319 Causes serious eye irritation.

Country: GB